Appl. No. 10/667,958 Any. Docket No. CM2632MC Amdt. dated 10/14/2004 Reply to Office Action of 07/14/2004 Customer No. 27752

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

- 1. (Currently Amended) A composition suitable for treating hair comprising:
 - a) an oxidizing agent; and
 - b) a chelant (L) having a logKCuL ratio calculated at pH 10 of at least about

3.20;

wherein log K_{CuL} is the common logarithm of the Conditional Stability Constant of said chelant with Cu²⁺ and log K_{CaL} is the common logarithm of the Conditional Stability Constant of said chelant with Ca²⁺;

wherein said composition has a pH from about 9.5 to about 11.

- (Currently Amended) A composition according to claim 1, wherein said chelant has a
 Hydrogen Peroxide Decomposition Ratio (% Loss) of less than about 3.5% as measured
 by the Hydrogen Peroxide Decomposition Ratio Measurement Protocol, as described
 herein.
- (Original) A composition according to claim 1, wherein said chelant forms a hexadendate complex with Cu²⁺.
- 4. (Canceled)
- (Original) A composition according to claim 1, wherein said composition is in the form of an oil-in-water emulsion.
- (Original) A composition according to claim 1, wherein said composition is in the form
 of a thickened aqueous solution.
- 7. (Original) A composition according to claim I, wherein said oxidizing agent is present at a level of from about 0.1% to about 40% by weight of said composition and is selected from water-soluble oxidizing agents and mixtures thereof.

Appl. No. 10/667,958 Atty. Docket No. CM2632MC Amdt. dated 10/14/2004 Reply to Office Action of 07/14/2004 Customer No. 27752

- (Original) A composition according to claim 7, wherein said oxidizing agent comprises hydrogen peroxide.
- (Original) A composition according to claim 1, wherein said chelant is present at a level of from about 0.01% to about 10% by weight of said composition.
- (Original) A composition according to claim 1, further comprising at least one oxidative hair dye precursor.
- 11. (Currently Amended) A method of treating hair, said method comprising the steps of:
 - i) contacting hair with a first composition comprising a chelant (L) having a log KCul ratio calculated at pH 10 of at least about 3.20; and
 - ii) contacting hair with a second composition comprising an oxidizing agent immediately after step i);

wherein $\log K_{CuL}$ is the common logarithm of the Conditional Stability Constant of said chelant with Cu^{2+} and $\log K_{CaL}$ is the common logarithm of the Conditional Stability Constant of said chelant with Ca^{2+} : and

wherein said second composition has a pH from about 9.5 to about 11.

- 12. (Currently Amended) A method of treating hair, said method comprising the steps of:
 - i) contacting hair with a first composition comprising an oxidizing agent;
 - ii) contacting hair with a second composition comprising a chelant having a

log KCuL ratio calculated at pH 10 of at least about 3.20; and log KCaL

iii) contacting hair with a third composition comprising a second oxidizing agent; wherein steps i) and iii) are separated by at least 1 day and step ii) does not take place immediately before step iii); and

wherein $\log K_{CuL}$ is the common logarithm of the Conditional Stability Constant of said chelant with Cu^{2+} and $\log K_{CaL}$ is the common logarithm of the Conditional Stability Constant of said chelant with Ca^{2+} ; and

wherein said first and third compositions have a pH from about 9.5 to about 11.

13. (Original) A kit for dyeing hair comprising a first and a second compositions packaged in different containers, wherein said first composition comprises an oxidizing agent and Appl. No. 10/667,958 Atty. Docket No. CM2632MC Amdt. dated 10/14/2004 Reply to Office Action of 07/14/2004 Customer No. 27752

said second composition comprises an oxidative dye precursor, wherein the resulting mixture of said first and second compositions is a composition according to claim 10.

- 14. (Original) A method of dyeing human hair, said method comprising the steps of:
 - i) mixing the first and second composition of a kit according to claim 13;
 - ii) contacting hair with the mixture obtained on step i);
 - iii) massaging said mixture into hair;
 - iv) retaining said mixture on the hair for an amount of time sufficient for mixture to dye the hair;
 - iv) rinsing off said composition with water.